

Anwendungs- / Verarbeitungshinweis

Wegweiser Reciprosägeblätter




Artikelnummer:

2366, 2380, 2392, 2397, 2403, 2405, 2413, 2415, 2417, 2420, 2425, 2432, 2436,
2443, 2447, 2452, 2457, 2459, 2464, 2468, 2469, 2487, 2492, 2497, 2502, 2503,
2510, 2512, 2514, 2515, 2516, 2520, 2521, 42745, 42746, 49234




Sprachen:

de


Holz

Material	Qualität	Art.Nr.	Abmessung	 feiner Schnitt	 grober Schnitt	 gerader Schnitt	 Kurven- schnitt	 Kurven / Gerader Schnitt	 schneller Schnitt
 Hart-/Weichholz		2366	2,2-4,6/200	X				X	X
		2405	2,4-4,0/200	X		X			X
		2413	4,0/150 C	X			X		
		2502	8,5/230		X				X
		2521	12,7/400		X				X
		2420	4,2/150		X		X		
		2497	3,6-5,1/150 C		X		X		X
		2417	5,0/240		X				X
		2415	4,0/305		X		X		X
 Verleimte Hölzer		2366	2,2-4,6/200	X				X	X
		2405	2,4-4,0/200	X		X			X
		2413	4,0-150 C	X			X		
		2502	8,0/230		X				X
		2521	12,7/400		X				X
		2497	3,6-5,1/150 C		X		X		X
		2415	4,0/305		X		X		X
 Grünholz									
		2417	5,0/240		X				X
		2520	8,5/300		X		X		X
									
 Faser-/Spanplatte		2366	2,2-4,6/200	X			X		X
		2405	2,4-4,0/200	X		X			X
		2502	8,5/230		X				X
		2521	12,7/400		X				X
		2420	4,2/150		X		X		
		2497	3,6-5,1/150 C		X		X		X
 Sperrholz		2366	2,2-4,6/200	X				X	X
		2405	2,4-4,0/200	X		X			X
		2413	4,0/150 C	X			X		
		2420	4,2/150		X		X		
		2415	4,0/305		X		X		X
									
 Beschichtete Platten		2392	2,2-4,6/150		X			X	X
		2432	2,2-4,6/200		X			X	X
		2366	2,2-4,6/200	X				X	X
		2405	2,4-4,0/200	X		X			X
		2413	4,0/150 C	X			X		
		2502	8,5/230		X				X
		2521	12,7/400		X				X
		2415	4,0/305		X		X		X
 Holz mit Nägeln		2392	2,2-4,6/150		X			X	X
		2432	2,2-4,6/200		X			X	X
		2459	1,8-2,6/150	X					
		2464	1,8-2,6/150	X					
		2468	2,5/150		X				
		2469	2,5/280		X				
		2420	4,2/150		X		X		
		2497	3,6-5,1/150 C		X		X		X

Metall

Material	Qualität	Art.Nr.	Abmessung	 feiner Schnitt	 grober Schnitt	 gerader Schnitt	 Kurven-schnitt	 Kurven / Grader Schnitt	 schneller Schnitt
 Metall / Weichstahl		2380	1,5-3,4/150	X		X			X
		2397	2,5/3,2/150 S		X	X			
		2403	2,5/3,2/230 S		X	X			
		2425	1,8-3,0/150	X		X			X
		2392	2,2-4,6/150		X			X	X
		2432	2,2-4,6/200		X			X	X
		2447	1,8/150	X					
		2452	1,8/200	X					
		2459	1,8-2,6/150	X					
		2464	1,8-2,6/200	X					
		2468	2,5/150		X				
		2469	2,5/280		X				
		2510	1,8/150	X					
		2512	1,8/200	X					
		2514	1,8/300	X					
		2516	3,2/150			X			X
		2515	3,2/200			X			X
 Bleche		2380	1,5-3,4/150	X		X			X
		2425	1,8-3,0/150	X		X			X
		2457	1,0/150	X					
		2503	1,4/100		X	X			
		2436	1,4/150		X	X			
		2443	1,4/200		X	X			
 Edelstahl		2397	2,5/3,2 150 S		X	X			
		2403	2,5/3,2/230 S		X	X			
		2492	1,4/115						
		2510	1,8/150	X					
		2512	1,8/200	X					
		2514	1,8/300	X					
 Buntmetalle		2380	1,5-3,4/150	X		X			X
		2425	1,8-3,0/150	X		X			X
		2392	2,2-4,6/150		X			X	X
		2432	2,2-4,6/200		X			X	X
		2457	1,0/150	X					
		2503	1,4/100	X					
		2436	1,4/150	X					
		2443	1,4/200	X					
		2447	1,8/150	X					
		2452	1,8/200	X					
		2459	1,8-2,6/150	X					
		2464	1,8-2,6/200	X					
		2468	2,5/150		X				
		2469	2,5/280		X				
		2510	1,8/150	X					
		2512	1,8/200	X					
		2514	1,8/300	X					
 Alu		2380	1,5-3,4/150	X		X			X
		2425	1,8-3,0/150	X		X			X
		2392	2,2-4,6/150		X			X	X
		2432	2,2-4,6/200		X			X	X
		2503	1,4/100	X					
		2436	1,4/150	X					
		2443	1,4/200	X					
		2447	1,8/150	X					
		2452	1,8/200	X					
		2459	1,8-2,6/150	X					
		2464	1,8-2,6/200	X					
 Stahlguss									
		2487	1,25/200						
 Rohrschneide-vorrichtung									
		2397	2,5/3,2/150 S		X	X			
		2403	2,5/3,2/230 S		X	X			

Kunststoffe & Stein

Material	Qualität	Art.Nr.	Abmessung	 feiner Schnitt	 grober Schnitt	 gerader Schnitt	 Kurven- schnitt	 Kurven/ Gerader Schnitt	 schneller Schnitt
 Kunststoffe, PVC		2380	1,5-3,4/150	X		X			X
		2425	1,8-3,0/150	X		X			X
		2392	2,2-4,6/150		X			X	X
		2432	2,2-4,6/200		X			X	X
		2366	2,2-4,6/200	X				X	X
		2405	2,4-4,0/200	X		X			X
		2413	4,0/150 C	X			X		
		2420	4,2/150		X		X		
		2415	4,0/305		X		X		X
 faserverstärkte und armierte Kunststoffe Fiberglas		2380	1,5-3,4/150	X		X			X
		2425	1,8-3,0/150	X		X			X
		2392	2,2-4,6/150		X			X	X
		2432	2,2-4,6/200	X				X	X
		2492	1,4/115						
		2502	8,5/230		X				X
		2521	12,7/400		X				X
		2497	3,6-5,1/150 C		X		X		X
 Isolationsmaterial									
		49234	Wave 300	X					X
 Eternit		2502	8,5/230		X				X
		2521	12,7/400		X				X
		42745	12,7/305		X	X			
		42746	12,7/457		X	X			
 Porenbeton		2502	8,5/230		X				X
		2521	12,7/400		X				X
		42745	12,7/305		X	X			
		42746	12,7/457		X	X			
 Lochziegel		2502	8,5/230		X				X
		2521	12,7/400		X				X
		42745	12,7/305		X	X			
		42746	12,7/457		X	X			
 Demolition Work		2397	2,5/3,2/150 S		X	X			
		2403	2,5/3,2/230 S		X	X			
		2420	4,2/150		X		X		